



Bradley Products, Inc.

Manufacturers of
The Davidson Marking System[®]

Dear Customer:

P.O. Box 201405
Bloomington, MN
55420

Phone:
800-325-7785

Fax:
952-881-1873

E-mail:
dms@bradleyproducts.com

Internet:
www.bradleyproducts.com

This MSDS (Material Safety Data Sheet) contains the latest information relating to our product. Please discontinue using any former Bradley Products, Inc. MSDS for this product. The format of this MSDS has changed substantially from previous versions and has been modified to follow the ANSI recommended 16 section format. It continues to be prepared in accordance with the OSHA Hazard Communication Standard (29CFR 1910.1200).

Please:

- Review this MSDS and ensure you understand and comply with its content.
- Inform all employees and other users of the information contained in this MSDS before handling the product.
- Bradley Products updates MSDSs when substantial new information is obtained. Newly modified MSDSs should be forwarded to all downstream users.

This MSDS contains information which may be helpful for you to comply with certain regulations and laws. It is not all inclusive information and could not be. Only you are in a position to determine what legal and other requirements are associated with the use of this product in your particular process and operation. It is your obligation to understand and comply with all information contained in this MSDS as well as all applicable laws, rules and regulations relating to your handling, use, storage and processing of this material.

If you want additional copies of this MSDS, we are happy to provide them to you, at no charge, via mail, fax, e-mail, or you can download a PDF copy from our web site. If you have questions or desire additional information in the handling, storage, use, or disposal of this product, please contact us.

Sincerely,
Bradley Products, Inc.

Important Note: The Davidson Marking System[®] dyes, manufactured by Bradley Products, Inc. are not intended for use on a living patient. These dyes are only intended for use on excised tissues.



*The original
tissue marking system
for a variety of
applications
requiring the
orientation of
tissue specimens in
medical laboratories.*



Bradley Products, Inc.
MATERIAL SAFETY DATA SHEET
Product: Davidson Marking System[®] Violet Dye all sizes



Effective Date: January 13, 2009

MSDS # 00110, Page 1 of 4

Bradley Products, Inc. encourages safe handling of this product. To promote safe handling, each recipient should: 1) Notify its employees, agents, contractors and others whom it knows or believes will use this material or the information in this MSDS and any other information regarding hazards or safety; 2) Furnish this same information to each of its customers for the product; and 3) Request its customers to notify their employees, customers and other users of the product of this information.

Section I – Product and Company Information

1.1 PRODUCT IDENTIFICATION

Product: Davidson Marking System[®] Violet Dye all sizes
HMIS Ratings: Health - 1 Flammability - 0 Reactivity - 0

1.2 COMPANY IDENTIFICATION

Bradley Products, Inc.
P.O. Box 201405
Bloomington, MN 55420

Phone: 952-881-1430
Toll-free: 800-325-7785
Fax: 952-881-1873

e-mail: dms@bradleyproducts.com
web site: www.bradleyproducts.com

Section II – Composition – Right to Know

<u>Product</u>	<u>CAS #</u>	<u>Product</u>	<u>CAS #</u>
Water	7732-18-5	ammonium hydroxide	1336-21-6
Pigment Violet	proprietary	Styrene Acrylic Resin	NJ TSR#00897100-5086

Section III – Hazardous Identification and Health Effects

3.1 EMERGENCY OVERVIEW

Appearance: Violet
Physical State: Liquid
Odor: Ammonia
Hazards: Irritating to skin and eyes.
Inhalation may cause difficulty in breathing and irritation to respiratory tract.
Lung disorders/dermatitis from prolonged exposure.

3.2 POTENTIAL HEALTH EFFECTS

Effects of Single Acute Overexposure

Inhalation: Inhalation of ammonia vapors may cause difficulty in breathing and irritation of respiratory tract.
Eye Contact: Eye Irritant. Can cause redness, irritation.
Skin Contact: Contact with skin may result in an irritation.
Ingestion: Harmful if ingested. May cause nausea, diarrhea, abdominal cramps.

Chronic, Prolonged or Repeated Overexposure

Repeated and prolonged exposure may result in lung disorders and dermatitis. This product does not contain any ingredient designated by IARC, NTP, ACGIH or OSHA as probably or suspected human carcinogens.

3.3 POTENTIAL ENVIRONMENTAL EFFECT

See Section XV - Regulatory Information

Section IV – First Aid Procedures

4.1 INHALATION

Move to fresh air. Aid in breathing, if necessary, and get immediate medical attention.

4.2 EYE CONTACT

Immediately wash eyes with running water for 15 min. If irritation develops, consult a physician.

4.3 SKIN CONTACT

Wash affected areas with soap and water. Remove and launder contaminated clothing before reuse. If irritation develops, consult a physician.

4.4 INGESTION

If swallowed, dilute with water and induce vomiting. Never give fluids or induce vomiting if victim is unconscious or having convulsions. Get immediate medical attention.

4.5 NOTES TO PHYSICIAN

Treat symptomatically. No specific antidote available.

Bradley Products, Inc.
MATERIAL SAFETY DATA SHEET
Product: Davidson Marking System[®] Violet Dye all sizes

Effective Date: January 13, 2009

MSDS # 00110, Page 2 of 4

Section V – Fire and Explosion Data

5.1 FLAMMABLE PROPERTIES

Flash Point (Test Method): N/A
Autoignition Temp: N/A
Flammability Limits in Air (% by Vol): Lower: N/A Upper: N/A

5.2 EXTINGUISHING MEDIUM

Use water fog, foam, carbon dioxide or dry chemical extinguishing media.

5.3 EXTINGUISHING MEDIUM TO AVOID

No information currently available.

5.4 SPECIAL FIREFIGHTING PROCEDURES

Firefighters should be equipped with turnout gear and wear full protective clothing.

5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Firefighters should be equipped with self-contained breathing apparatus.

5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS

Keep closed containers cool. Exposure of closed containers to excessive heat may cause disruptive pressure.

5.7 HAZARDOUS DECOMPOSITION PRODUCTS

Smoke, oxides of carbon.

Section VI – Accidental Spill / Leak Procedures

Steps to be taken if material is released or spilled:

Contain and collect spilled product. Dispose in accordance with Federal, State, and Local regulations. Dispose of empty containers by crushing or whatever means will prevent unauthorized reuse.

Personal Precautions:

See Section VIII - Special Protection

Environmental Precautions:

Do not flush to drain.

Section VII – Handling and Storage

7.1 HANDLING

General Handling

Avoid getting in eyes. Avoid breathing vapors or mists. Due to permanent coloring, avoid contact with skin or clothing. Do not ingest or swallow. Wash thoroughly with soap and water after handling. Provide adequate ventilation when accessing or working with open containers.

Ventilation

General room ventilation is expected to be satisfactory if this material is kept in covered equipment or containers. Local exhaust use is recommended.

7.2 STORAGE

Store in closed containers. Store containers in diked areas.

Section VIII – Exposure Controls and Personal Protection

8.1 EXPOSURE LIMITS

No information currently available.

8.2 PERSONAL PROTECTION

Respiratory Protection: NIOSH approved respirator or dust mask, if needed (contains small amounts of ammonia).

Eye Protection: Chemical goggles/safety glasses.

An eye wash station should be available.

Protective Clothing:

Coveralls and impervious work gloves to prevent skin contact.

Ventilation:

Use local exhaust.

Other: N/A

8.3 ENGINEERING CONTROLS

Use general area dilution/exhaust ventilation.

Bradley Products, Inc.
MATERIAL SAFETY DATA SHEET
Product: Davidson Marking System[®] Violet Dye all sizes

Effective Date: January 13, 2009

MSDS # 00110, Page 3 of 4

Section IX – Physical and Chemical Properties

Physical State:	Liquid	Freezing Point:	ND
Appearance:	Violet, thin	Specific Gravity (g/ml):	1.15
pH:	8.5-9.5	Vapor Pressure:	ND
Solubility in Water:	Water Dispersible	Vapor Density:	ND
Odor:	Ammonia	Evaporation Rate:	ND
Volatiles By Weight:	54-58%	Melting Point	ND
Boiling Point:	ND		

Section X – Stability and Reactivity

10.1 STABILITY / INSTABILITY

This product is stable.

Conditions to Avoid: N/A

Chemical Incompatibility: N/A

Section XI – Toxicological Information

See Section XV – Regulatory Information

Section XII – Ecological Information

See Section XV – Regulatory Information

Section XIII – Disposal Considerations

13.1 WASTE DISPOSAL METHOD

Dispose in accordance with Federal, State, and Local regulations.

Dispose empty containers by crushing or whatever means will prevent unauthorized reuse.

13.2 DISPOSAL CONSIDERATIONS

See 13.1

EPA Hazardous Waste – NO

Section XIV – Transport Information

14.1 U.S. DOT

Not regulated.

Section XV – Regulatory Information

TSCA INVENTORY

This product is a mixture and as such is not required to be registered under the Federal Toxic Substance Control Act.

However, be assured that all of the chemical ingredients contained in this product have been submitted for inclusion in the TSCA inventory and are listed on the DSL inventory (Canada).

Section XVI – Other Information

16.1 AVAILABLE LITERATURE AND BROCHURES

Additional product safety information on this product may be available and may be obtained by calling Bradley Products, Inc. or visit the web site at www.bradleyproducts.com

16.2 SPECIFIC HAZARD RATING SYSTEM

No information currently available.

16.3 RECOMMENDED USES AND RESTRICTIONS

For industry use only.

16.4 REVISION

Version: 1

Revision: January 13, 2009

While Bradley Products, Inc. (BPI) believes the data set forth herein are accurate as of the date hereof, BPI makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon, such data are offered solely for your consideration, investigation and verification. Since the use of this information and the conditions of the use of the product are not under the control of BPI, it is the user's obligation to determine conditions of safe use of the product.